



Kosmos

Powerful range of linear grazers both in rigid & flexible forms with precision optics ensuring zero color shift and high quality grazing output
Flexible grazer allows for 360 bending ensuring optimum solution for curved walls, domes and other such spaces






Kosmos - Features



- Precision wall graze output
- Bottom cable entry for looping
- RGB control with integrated DMX
- Fixed & Adjustable clamps for Kosmos 15

Flexi - Features




- Bending Radius of 300mm
- Flexible material with 360 bending in Flexi Wash
- Small Size of 18mm width & 9mm height in Flexi Line
- Mounting - fixed & adjustable clamps or rigid profile

Kosmos


LED	Typ CRI	Body Finish	Length	Voltage	IP / IK Rating	Dimming Options
High Power 3 Step MacAdam L90-B10 60,000Hrs	92	Matt Grey	500MM 1000MM	DC24V	IP65 IK05	Non Dim Triac Analog Dali DMX512




Kosmos Wide
#2202



Power	1000MM-12W
Lumen / CCT	876lm - 2700K 894lm - 3000K 912lm - 4000K 624lm - RGBW
UGR	< 19
Beam Angle	Diffused
Driver Placement	Remote




Kosmos 15
#2201



Power	500MM-7.5W/1000MM-15W
Lumen / CCT	705lm/1405lm - 2700K 720lm/1440lm - 3000K 745lm/1485lm - 4000K 460lm/1105lm - RGB
UGR	< 19
Beam Angle	10x65°
Driver Placement	Remote




Kosmos 18
#2207




Power	500MM-9W/1000MM-18W
Lumen / CCT	865lm/1735lm - 2700K 885lm/1780lm - 3000K 915lm/1830lm - 4000K 595lm/1180lm - RGB
UGR	< 19
Beam Angle	10x65°
Driver Placement	Remote

Kosmos

LED	Typ CRI	Body Finish	Length	Voltage	IP / IK Rating	Dimming Options
High Power 3 Step MacAdam L90-B10 60,000Hrs	92	Matt Grey	500MM 1000MM	DC24V	IP65 IK05	Non Dim Triac Analog Dali DMX512



Power	500MM-12W/1000MM-24W
Lumen / CCT	1155lm/2315lm - 2700K 1185lm/2375lm - 3000K 1220lm/2445lm - 4000K 785lm/1570lm - RGB
UGR	< 19
Beam Angle	10x65°
Driver Placement	Remote




Power	500MM-18W/1000MM-36W
Lumen / CCT	1735lm/3475lm - 2700K 1780lm/3560lm - 3000K 1830lm/3660lm - 4000K 1180lm/2360lm - RGB
UGR	< 19
Beam Angle	10x65°
Driver Placement	Remote

Kosmos - Flexi


LED	Typ CRI	Body Finish	Length	Voltage	IP Rating	Dimming Options
Mid / High Power 3 Step MacAdam L90-B10 60,000Hrs	92	Matt White Matt Grey	5000MM	DC24V	IP67	Non Dim Triac Analog Dali DMX512




Flexi Line
#2204



Power	18W/M
Lumen / CCT	1590lm/m - 2700K 1630lm/m - 3000K 1680lm/m - 4000K
UGR	< 19
Beam Angle	25x45°
Driver Placement	Remote



Flexi Wash
#2213




Power	24W/M
Lumen / CCT	1985lm/m - 2700K 2035lm/m - 3000K 2095lm/m - 4000K
UGR	< 19
Beam Angle	25x100°
Driver Placement	Remote

Kosmos - Flexi

LED	Typ CRI	Body Finish	Length	Voltage	IP Rating	Dimming Options
High Power 3 Step MacAdam L90-B10 60,000Hrs	92	Matt White	5000MM 970MM	DC24V	IP67	Non Dim Triac Analog Dali DMX512




Flexi Curtain
#2214



Power	15W/M
Lumen / CCT	1426lm/m - 2700K 1441lm/m - 3000K 1464lm/m - 4000K
UGR	<19
Beam Angle	30°
Driver Placement	Remote



Flexi Cove
#2215



Power	18W/M
Lumen / CCT	1656lm/m - 2700K 1674lm/m - 3000K 1701lm/m - 4000K
UGR	<19
Beam Angle	30°
Driver Placement	Remote