




Opus

Opus provides the flexibility to work with shallow-depth fixtures in multiple optics
Available in 4 different sizes to suit various applications

Opus - Features

I Design - IV Avatars - Complete Control

I Wallwash Optic




- Unique reflector assembly design for wallwash
- Zero ceiling light loss with uniform wall covering without any dark spots
- Shallow depth assembly for tight ceiling spaces
- Reflector finishes available

II Exterior rated IP65 fixture




- IP65 rated for visible parts suitable for wet locations
- Lens based optics with different beam angles
- Shallow depth assembly for tight ceiling spaces
- Reflector finishes available

III Dome lens with wide flood optics




- Special reflector cum dome lens assembly design with wide flood optics
- Low glare ratio providing a stress free visual comfort
- Shallow depth assembly for tight ceiling spaces
- Reflector finishes available

IV Diffused Lens Option





- Fixture with inbuilt LGP for a diffused and general lighting solution
- Low glare ratio providing a stress free visual comfort
- Shallow depth assembly for tight ceiling spaces
- Reflector finishes available

Lighting Effect with 90° optic




Glare cut off angle






Exterior / Interior



Diffused


Specular

Matt White




Trim S

Matt Black




Trim M


Pearl Black



Trim L



Trim XL




Wide




Wash

Specular




Trimless S

Black Chrome




Trimless M

Matt Silver



Trimless L

Matt Gold




Trimless XL

Opus

LED	Typ CRI	Trim Finish	Reflector Finish	IP Rating	Dimming Options	Filter Options
Array 2 Step MacAdam L90-B10 60,000Hrs	95	Matt White Matt Black	Matt White Matt Black Specular Pearl Black Black Chrome Matt Silver Matt Gold	IP44	Non Dim Triac Analog Dali Dali Tunable RF Tunable	Softening Lens Honeycomb

Opus Interior (Trim / Trimless)




Power	10W - 250mA	15W - 350mA	25W - 600mA	35W - 900mA
Lumen / CCT	885lm - 2700K 910lm - 3000K 935lm - 4000K Tunable White	1330lm - 2700K 1365lm - 3000K 1405lm - 4000K Tunable White	2090lm - 2700K 2145lm - 3000K 2205lm - 4000K Tunable White	2625lm - 2700K 2695lm - 3000K 2770lm - 4000K Tunable White
UGR	<19	<19	<19	<19
Beam Angle	15° 24° 38° 60°	15° 24° 38° 60°	15° 24° 38° 60°	15° 24° 38° 60°
Driver Placement	Remote	Remote	Remote	Remote

Opus

LED	Typ CRI	Trim Finish	Reflector Finish	IP Rating	Dimming Options	Filter Options
Mid Power 3 Step MacAdam L90-B10 60,000Hrs	92	Matt White Matt Black	Matt White Matt Black Specular Pearl Black Black Chrome Matt Silver Matt Gold	IP44	Non Dim Triac Analog Dali	NA

Opus Diffused (Trim / Trimless)




Power	10W - 250mA	15W - 350mA	25W - 600mA	35W - 900mA
Lumen / CCT	770lm - 2700K 790lm - 3000K 815lm - 4000K	1175lm - 2700K 1205lm - 3000K 1240lm - 4000K	1860lm - 2700K 1910lm - 3000K 1965lm - 4000K	2745lm - 2700K 2815lm - 3000K 2900lm - 4000K
UGR	<19	<19	<19	<19
Beam Angle	Diffused	Diffused	Diffused	Diffused
Driver Placement	Remote	Remote	Remote	Remote

Opus

LED	Typ CRI	Trim Finish	Reflector Finish	IP Rating	Dimming Options	Filter Options
Array 2 Step MacAdam L90-B10 60,000Hrs	95	Matt White Matt Black	Matt White Matt Black Specular Pearl Black Black Chrome Matt Silver Matt Gold	IP44	Non Dim Triac Analog Dali Dali Tunable RF Tunable	NA

Opus Wide (Trim / Trimless)




Power	10W - 250mA	15W - 350mA	25W - 600mA	35W - 900mA
Lumen / CCT	835lm - 2700K 855lm - 3000K 885lm - 4000K Tunable White	1245lm - 2700K 1275lm - 3000K 1315lm - 4000K Tunable White	2015lm - 2700K 2065lm - 3000K 2125lm - 4000K Tunable White	2925lm - 2700K 2980lm - 3000K 2995lm - 4000K Tunable White
UGR	<19	<19	<19	<19
Beam Angle	90°	90°	90°	90°
Driver Placement	Remote	Remote	Remote	Remote

Opus

LED	Typ CRI	Trim Finish	Reflector Finish	IP Rating	Dimming Options	Filter Options
Array 2 Step MacAdam L90-B10 60,000Hrs	95	Matt White Matt Black	Matt White Matt Black Specular Pearl Black Black Chrome Matt Silver Matt Gold	IP65	Non Dim Triac Analog Dali Dali Tunable RF Tunable	Honeycomb

Opus Exterior (Trim / Trimless)



Power	10W - 250mA	15W - 350mA	25W - 600mA	35W - 900mA
Lumen / CCT	885lm - 2700K 910lm - 3000K 935lm - 4000K Tunable White	1330lm - 2700K 1365lm - 3000K 1405lm - 4000K Tunable White	2090lm - 2700K 2145lm - 3000K 2205lm - 4000K Tunable White	2625lm - 2700K 2695lm - 3000K 2770lm - 4000K Tunable White
UGR	<19	<19	<19	<19
Beam Angle	24° 38°	15° 24° 38°	15° 24° 38°	15° 24° 38°
Driver Placement	Remote	Remote	Remote	Remote



Opus

LED	Typ CRI	Trim Finish	Reflector Finish	IP Rating	Dimming Options	Filter Options
Array 2 Step MacAdam L90-B10 60,000Hrs	95	Matt White Matt Black	Matt White Matt Black Specular Pearl Black Black Chrome Matt Silver Matt Gold	IP20	Non Dim Triac Analog Dali Dali Tunable RF Tunable	NA



Opus Wallwash (Trim)






Wallwash S
#1176






Wallwash M
#1179



Wallwash L
#1182



Wallwash XL
#1185



Power	10W - 250mA	15W - 350mA	25W - 600mA	35W - 900mA
Lumen / CCT	715lm - 2700K 735lm - 3000K 755lm - 4000K Tunable White	1065lm - 2700K 1095lm - 3000K 1125lm - 4000K Tunable White	1695lm - 2700K 1735lm - 3000K 1790lm - 4000K Tunable White	2495lm - 2700K 2560lm - 3000K 2635lm - 4000K Tunable White
UGR	<19	<19	<19	<19
Beam Angle	Wallwash	Wallwash	Wallwash	Wallwash
Driver Placement	Remote	Remote	Remote	Remote



wework

PARKING
←

Project - Wework Offices
Pan India